



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES0000474
SITENAME Serres de Mariola i el Carrascal de la Font Roja (ZEPA)

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type A | 1.2 Site code ES0000474 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Serres de Mariola i el Carrascal de la Font Roja (ZEPA)

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2009-06 | 1.5 Update date 2014-11 |
|--|-----------------------------------|

1.6 Respondent:

Name/Organisation: Conselleria d'Infraestructures, Territori i Medi Ambient. Generalitat Valenciana
Address: Ciutat Administrativa 9 D'Octubre-Torre 1. C/ Castán Tobeñas, 77. 46018 Valencia (España)
Email: nebot_jos@gva.es

1.7 Site indication and designation / classification dates

| | |
|--|---|
| Date site classified as SPA: | 2000-05 |
| National legal reference of SPA designation | Acuerdo de 5 de junio de 2009, del Consell, de ampliación de la Red de Zonas de Especial Protección para las Aves (ZEPA) de la Comunitat Valenciana. (DOCV num 6031, de 09.06.2009) y Acuerdo de 27 de noviembre de 2009, del Consell, de corrección de errores en los anexos I y II del Acuerdo de 5 de junio, del Consell, de ampliación de la Red de Zonas de Especial Protección para las Aves (ZEPA) de la Comunitat Valenciana. (DOCV num 6155 de 30.11.2009) |

| | | | | | | | | | |
|------|--|--|--------------------|--|---|---|--|---|---|
| 6430 | | | 229.52380000000002 | | G | B | | C | B |
| 7220 | | | 229.52380000000002 | | G | C | | C | C |
| 8210 | | | 918.09520000000001 | | G | B | | B | B |
| 91B0 | | | 459.04760000000005 | | G | B | | C | B |
| 9240 | | | 229.52380000000002 | | G | A | | C | A |
| 92A0 | | | 229.52380000000002 | | G | A | | C | A |
| 92D0 | | | 229.52380000000002 | | G | C | | C | C |
| 9340 | | | 1377.1428 | | G | B | | C | B |
| 9580 | | | 229.52380000000002 | | G | B | | C | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | Site assessment | | | | |
|---------|------|---|------------------------|----|---|------|-----|------|------|-----------------|---------|------|-------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A229 | Alcedo atthis | | | p | | | | P | | D | | | |
| B | A255 | Anthus campestris | | | r | | | | P | | D | | | |
| B | A091 | Aquila chrysaetos | | | p | 1 | 1 | p | | G | D | | | |
| B | A215 | Bubo bubo | | | p | | | | P | | D | | | |
| B | A243 | Calandrella brachydactyla | | | r | | | | P | | D | | | |
| B | A224 | Caprimulgus europaeus | | | r | | | | P | | D | | | |
| B | A080 | Circaetus gallicus | | | r | | | | P | | D | | | |
| B | A103 | Falco peregrinus | | | p | | | | P | | D | | | |
| B | A245 | Galerida theklae | | | p | | | | P | | D | | | |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|-----|-----|---|---|---|---|--|--|--|
| B | A078 | Gyps fulvus | | | p | | 17 | p | | G | D | | | |
| B | A093 | Hieraetus fasciatus | | | p | 2 | 2 | p | | G | D | | | |
| B | A092 | Hieraetus pennatus | | | r | | | | P | | D | | | |
| B | A246 | Lullula arborea | | | r | | | | P | | D | | | |
| M | 1310 | Miniopterus schreibersii | | | p | | | | P | | D | | | |
| M | 1307 | Myotis blythii | | | p | | | | P | | D | | | |
| M | 1316 | Myotis capaccinii | | | p | | | | P | | D | | | |
| M | 1324 | Myotis myotis | | | r | 200 | 400 | i | | G | C | | | |
| B | A279 | Oenanthe leucura | | | p | | | | P | | D | | | |
| B | A346 | Pyrrhocorax pyrrhocorax | | | p | | | | P | | D | | | |
| M | 1305 | Rhinolophus euryale | | | p | | | | P | | D | | | |
| M | 1304 | Rhinolophus ferrumequinum | | | p | | | | P | | D | | | |
| M | 1302 | Rhinolophus mehelyi | | | p | | | | P | | D | | | |
| B | A302 | Sylvia undata | | | p | | | | C | | D | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | Population in the site | | | | | Motivation | | | | | | |
|---------|------|---|------------------------|----|------|-----|------|------------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| P | | Centaurea mariolensis | | | | | | | | | | X | | |
| P | | Centaurea rouyi | | | | | | | | | | X | | |
| P | | Leucanthemum gracilicaule | | | | | | | | | | X | | |
| P | | Salvia blancoana ssp | | | | | | | | | | X | | |

| | | | | | | | | | | | | | | |
|---|--|---|--|--|--|--|--|--|--|--|--|--|---|--|
| | | mariolensis | | | | | | | | | | | | |
| P | | Teucrium buxifolium ssp thymifolium | | | | | | | | | | | X | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

| Habitat class | % Cover |
|----------------------------|------------|
| N09 | 10.0 |
| N19 | 5.0 |
| N06 | 5.0 |
| N08 | 30.0 |
| N22 | 10.0 |
| N21 | 10.0 |
| N16 | 5.0 |
| N12 | 5.0 |
| N18 | 20.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Conjunto montañoso situado en el núcleo de las sierras béticas valencianas. Constituido por un complejo mosaico de formaciones naturales y cultivos tradicionales. La Font Roja está formada por una elevación montañosa orientada de suroeste a noreste. Destacan, como puntos más elevados, la cumbre del Menejador (1356 m) y el alto de la Teixereta (1339 m). La Sierra de Mariola está constituida mayoritariamente por materiales calizos, con una altitud máxima de 1.390 metros en el Montcabrer.

4.2 Quality and importance

Alberga formaciones forestales maduras, como los peculiares bosques mixtos de quejigo valenciano-meridionales, en excelente estado de conservación. También presenta formaciones relictas de Tejo (*Taxus baccata*) y una elevada diversidad de especies vegetales, incluyendo diversos endemismos valencianos. Alberga poblaciones nidificantes de 15 especies de aves incluidas en el Anexo I de la Directiva 79/409/CEE, siete de ellas rapaces. Se reproducen 2 parejas de Águila-azor Perdicera y una de Águila Real. Desde 2004 se han instalado dos colonias de cría de Buitre Leonado, como resultado de programa de reintroducción, con 17 parejas en 2008. Nidifican también el Halcón Peregrino, Búho Real, Culebrera Europea y Aguililla Calzada. Los rangos de las poblaciones de aves reflejadas en el apartado 3.2 muestran los contingentes mínimos y máximos registrados en el periodo 2003-2008, elaborados a partir de censos oficiales.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| ES10 | 87.0 | ES99 | 13.0 | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|--|------|-----------|
| ES10 | Parc Natural del Carrascal de la Font Roja | | |
| ES10 | Parc Natural de la Serra Mariola | | |

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|---|
| Organisation: | Conselleria d'Infraestructures, Territori i Medi Ambient. Generalitat Valenciana |
| Address: | Ciutat Administrativa 9 D'Octubre-Torre 1. C/ Castán Tobeñas, 77. 46018 Valencia (España) |
| Email: | nebot_jos@gva.es |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|---|---|
| <input checked="" type="checkbox"/> Yes | Name: Plan de Ordenación de los Recursos Naturales de la Sierra de Mariola, aprobado mediante el Decreto 76/2001, de 2 de abril, del Consell; Plan Rector de Uso y Gestión del Parc Natural de la Serra de Mariola, aprobado mediante el Decreto 79/2007, de 25 de mayo, del Consell; y Plan de Ordenación de los Recursos Naturales y revisión del Plan Rector de Uso y Gestión del Parc Natural del Carrascal de la Font Roja, aprobados mediante el Decreto 121/2004, de 16 de julio, del Consell. Link: http://www.cma.gva.es/web/indice.aspx?nodo=2486&idioma=C http://www.cma.gva.es/web/indice.aspx?nodo=2407&idioma=C |
| <input type="checkbox"/> No, but in preparation | |
| <input type="checkbox"/> No | |

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| |
|--|